

# SCANMASKIN

## MACHINES-MINERALS-KNOW-HOW

Safety Data Sheet according to Regulation (EC) No 1907/2006

Scanmaskin Sweden AB

### SC - MAT

Revision Date : 16.09.2019

Product code: 11020-0005

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

SC - MAT

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Concrete sealer

### 1.3. Details of the supplier of the safety data sheet

Company name: Scanmaskin Sweden AB (Headoffice)  
Street: Heljesvägen 10  
Place: SE-437 36 Lindome / Box 187 / SE-437 22 Lindome  
Telephone: +46-31 99 71 97  
Telefax:  
Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

### 1.4. Emergency telephone

**number:** (001) 352 323 3500  
England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24  
24

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

### 2.2. Label elements

#### Hazard components for labelling

aminofunctional siloxane

Silicic acid, lithium salt

Signal word:

Danger

Pictograms:



#### Hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this

# SCANMASKIN

## MACHINES-MINERALS-KNOW-HOW

Safety Data Sheet according to Regulation (EC) No 1907/2006

Scanmaskin Sweden AB

### SC - MAT

Revision date : 16.09.2019

Product Code: 11020-0005

product are a PBT / vPvB substance.

High risk of slipping due to leakage/spillage of product.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Aqueous preparation of the following substances with non-hazardous admixtures

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
12627-14-4	Silicic acid, lithium salt			< 15 %
	235-730-0		01-2119899248-18	
	Eye Dam. 1, STOT SE 3; H318 H335			
	aminofunctional siloxane			< 10 %
	Acute Tox. 4, Eye Dam. 1, Skin Sens. 1; H332 H318 H317			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

No specific precautions required.

#### After inhalation

Take affected person into fresh air.

Wash mouth and nasal passages with water.

If symptoms develop, seek medical attention.

#### After contact with skin

In case of contact with skin wash off with soap and water.

Consult a doctor if skin irritation persists.

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lens.

Seek medical treatment by eye specialist.

#### After ingestion

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

Causes skin irritation.

May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

# SCANMASKIN

## MACHINES–MINERALS–KNOW-HOW

Safety Data Sheet according to Regulation (EC) No 1907/2006

Scanmaskin Sweden AB

### SC - MAT

Revision Date : 16.09.2019

Product code: 11020-0005

---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.  
Foam, carbon dioxide (CO<sub>2</sub>), dry chemical, water-spray.

#### Unsuitable extinguishing media

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

Hydrocarbons, carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>)  
irritant/corrosive, flammable as well as toxic distillation gases/vapours

### 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.  
Protective suit.

#### Additional information

Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.  
Use personal protective clothing.  
High risk of slipping due to leakage/spillage of product.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).  
Shovel into suitable container for disposal.

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).  
Information for disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with the skin and the eyes.  
Ensure adequate ventilation.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.  
Keep away from heat.  
Keep from freezing.

#### Advice on storage compatibility

Incompatible with strong acids and oxidizing agents.

#### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

# SCANMASKIN

## MACHINES–MINERALS–KNOW-HOW

Safety Data Sheet according to Regulation (EC) No 1907/2006

Scanmaskin Sweden AB

### SC - MAT

Revision Date : 16.09.2019

Product code: 11020-0005

---

Concrete sealer

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Additional advice on limit values

No data available.

### 8.2. Exposure controls

#### Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Take off immediately all contaminated clothing.

#### Eye/face protection

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

#### Hand protection

Neoprene, butyl or nitrile rubber gloves

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

#### Skin protection

Long sleeved clothing (EN 368).

#### Respiratory protection

No personal respiratory protective equipment normally required.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	White
Odour:	Slightly like amonia

pH-Value (at 20 °C): approx. 11

#### Changes in the physical state

Initial boiling point and boiling range: approx. 100 °C

Flash point: n.a.

Lower explosion limits: n.a.

Upper explosion limits:

Ignition temperature: n.a.

Vapour pressure:  
(at 20 °C) approx. 22 hPa

Density (at 20 °C): 1,106 g/cm<sup>3</sup>

Water solubility:  
(at 20 °C) > 95 % g/L

### 9.2. Other information

No data available.

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No decomposition if stored and applied as directed.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

# SCANMASKIN

## MACHINES–MINERALS–KNOW-HOW

Safety Data Sheet according to Regulation (EC) No 1907/2006

Scanmaskin Sweden AB

### SC - MAT

Revision Date : 16.09.2019

Product code: 11020-0005

---

Reactions with oxidizing agents.

Strong exothermic reaction with acids.

#### **10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

#### **10.5. Incompatible materials**

Strong acids and oxidizing agents

#### **10.6. Hazardous decomposition products**

Fire may produce:

Hydrocarbons , Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>)

Irritant/corrosive, flammable as well as toxic distillation gases (carbonization gases).

---

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

No toxicological data available.

#### **Irritation and corrosivity**

Causes skin irritation.

Causes serious eye damage.

#### **Sensitising effects**

May cause an allergic skin reaction. (aminofunctional siloxane)

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **Severe effects after repeated or prolonged exposure**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### **Practical experience**

#### **Other observations**

Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

---

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Ecological data are not available.

### **12.2. Persistence and degradability**

No data available.

### **12.3. Bioaccumulative potential**

No data available.

### **12.4. Mobility in soil**

No data available.

### **12.5. Results of PBT and vPvB assessment**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

---

# SCANMASKIN

## MACHINES-MINERALS-KNOW-HOW

Safety Data Sheet according to Regulation (EC) No 1907/2006

Scanmaskin Sweden AB

### SC - MAT

Revision Date : 16.09.2019

Product code: 11020-0005

---

#### 12.6. Other adverse effects

A pH-change becomes possible in water.

#### **Further information**

Do not flush into surface water or sanitary sewer system.

---

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

##### **Advice on disposal**

Can be landfilled after chemical and physical treatment, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

##### **Waste disposal number of waste from residues/unused products**

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish containing organic solvents or other hazardous substances; hazardous waste

##### **Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

---

### **SECTION 14: Transport information**

**Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO-TI/IATA-DGR); Inland waterways transport (ADN):**

#### 14.1. UN number:

No hazardous material as defined by the transport regulations.

#### 14.2. UN proper shipping name:

No hazardous material as defined by the transport regulations.

#### 14.3. Transport hazard class(es):

No hazardous material as defined by the transport regulations.

#### 14.4. Packing group:

No hazardous material as defined by the transport regulations.

#### 14.5. Environmental hazards

No hazardous material as defined by the transport regulations.

#### 14.6. Special precautions for user

No hazardous material as defined by the transport regulations.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No hazardous material as defined by the transport regulations.

---

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### **EU regulatory information**

2004/42/EC (VOC): 0 %

##### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

---

### **SECTION 16: Other information**

# SCANMASKIN

## MACHINES–MINERALS–KNOW-HOW

Safety Data Sheet according to Regulation (EC) No 1907/2006

Scanmaskin Sweden AB

### SC - MAT

Revision Date : 16.09.2019

Product code: 11020-0005

---

#### Changes

Changes in chapter: 2, 8, 11, 12, 14

#### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

#### Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

#### Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*